

TYPE IAA

375 LBS
LOAD CAPACITY

(Includes weight of user plus materials)

**HEAVY-DUTY
GUSSET BRACING**

For increased support



SHOX™

Advanced impact absorption system protects fiberglass



FULL METAL BOOT

Extra-heavy-duty cast aluminum shoes with a thick rubber tread.



STEPLADDER



SERIES FS1300HD

FIBERGLASS STEPLADDER

FS1306HD



LOUISVILLE
LADDER

BECAUSE WORK AIN'T PLAY.

ANSI
Meets or exceeds requirements
of American National Standards Institute
ANSI A14.2



STEPLADDER



1 Top™

Heavy-gauge metal top with tool slots.



2 Spreader Braces

Spreader braces are mounted inside the fiberglass rails to help protect braces from getting hooked or damaged in transit.



3 Heavy-Duty Gusset Bracing

Created with heavy duty steel, the gussets are added to each step for increased durability from impact.



4 SHOX™

Advanced impact absorption system offers superior protection against damage.



5 Full Metal Boot

Extra-heavy-duty cast aluminum shoes with a thick rubber tread.



FS1300HD FLYER JUNE 2022 © Louisville Ladder, Inc. All rights reserved.

MODEL	LADDER SIZE	HIGHEST STANDING LEVEL	MAX. REACH	BOTTOM WIDTH (IN)	STORAGE HEIGHT (IN)	STORAGE DEPTH (IN)	APPROX. SPREAD (IN)	APPROX. WEIGHT (LBS)	APPROX. CUBES (FT)
FS1304HD	4'	1'11"	8'6"	18 7/8"	4'1"	6 11/16"	29 1/8"	15	2.13
FS1306HD	6'	3'9"	10'4"	21 3/4"	6'1"	6 11/16"	41"	21	3.46
FS1308HD	8'	5'8"	12'3"	24 3/4"	8'1"	6 11/16"	52 13/16"	28	5.17
FS1310HD	10'	7'7"	14'2"	27 7/8"	10'1"	6 11/16"	64 11/16"	40	7.14
FS1312HD	12'	9'6"	16'1"	31"	12'1"	6 11/16"	76 1/2"	51	9.23



WWW.LOUISVILLELADDER.COM

